

Mapping of Adolescent Sexual and Reproductive Health Programs in Humanitarian Settings

**Does not provide at least 2 methods of family planning and therefore not included in analysis*

Region	Country	Program	Contact Information	Crisis/Conflict Context	Age Group	Components of Program Development	Communication and Outreach Elements	ASRH Education	ASRH Services	General Health Services for Adolescents	Clinical SRH Services	Family Planning Services	Referral Mechanisms	Program Effectiveness	Implementation Challenges	Notes	
A m e r i c a s	1	Colombia	Health services for the displaced and other vulnerable groups in the Colombian Pacific Region	Andrés Quintero, Profamilia Colombia, aquintero@PROFAMILIA.ORG.CO	Ongoing internal conflict has led to internal displacement, particularly in the western region of the country.	10-14 years 15-17 years 18-19 years 20 years and above	Community involvement Parent involvement Adolescent participation Training	Plays or theater Information, education, communication / behavior change communication (IEC/BCC) Radio programming Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Health provider training Parent training	School support Life-skills training Youth empowerment Health service delivery Health service days/health fairs Mobile outreach	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care		Family planning counseling Male condoms Female condoms EC Injectables IUD		The facilities in which the program operates are respected in the communities for the work they've done.	Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Funding	The program has been in existence for more than 20 years and has helped train staff members in dealing with adolescent issues.
	2	Haiti	Profamil ASRH program	Profamil (Lodz Joseph, ljoseph@ippfwhr.org)	A massive earthquake in January 2010 displaced a large number of people in Haiti.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Adolescent participation Training	Plays or theater IEC/BCC Youth centers Parent involvement	General health HIV Sexuality Health provider training Parent training	School support Life-skills training Youth empowerment Health service delivery	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care	Post-rape EC Post-abortion care Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Female condoms Pills EC Injectables Implants IUD LAM Withdrawal Cycle beads/Calendar Post-abortion FP	Post-rape injury treatment STI care and treatment Antenatal care HIV care and treatment Delivery/post-natal care facilities Post-rape EC	Peer education, single sex weekly groups, and provision of youth friendly sexual health services make Profamil unique in the Haitian context	Funding	
	3*	El Salvador	SRH in humanitarian context	Elena Zufiga, ezuniga@unfpa.org	Hurricane Ida in November 2009 and Tropical Storm 12-E in October 2011 displaced a large number of people.	10-14 years 15-17 years 18-19 years 20 years and above		Plays or theater IEC/BCC	General health HIV Sexuality Gender norms	Health service delivery Data collection on service utilization							This program was developed in the context of an emergency situation, which limited the ability to involve local actors in the development of the program other than the Ministry of Health.
	4*	Haiti	Haiti Adolescent Girls Network	NY: Lodz Joseph IPPF/WHR ljoseph@ippfwhr.org Haiti: Melissa Coupaud YWCA Haiti melissacoupaud@gmail.com	A massive earthquake in January 2010 displaced a large number of people in Haiti.	10-14 years 15-17 years 18-19 years	A needs assessment Community involvement Adolescent participation Training	Plays or theater IEC/BCC Youth centers Parent involvement	General health HIV Sexuality Health provider training	School support Life-skills training Youth empowerment Health service delivery				Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care HIV care and treatment Delivery/post-natal care facilities Post-rape EC	Funding Community attitudes	This program was a partnership between multiple organizations and included an innovative approach to economic empowerment and improving health outcomes among adolescent girls.	
	1	Pakistan	Community-based comprehensive health services and livelihoods opportunities	Katie Anfinson, American Refugee Committee, KateA@archq.org	Afghan refugees have been crossing the border into Pakistan since 1979 settling in the Northwest Frontier Province.	18-19 years 20 years and above	IEC/BCC Computer literacy Youth centers Community leader/religious leader outreach	General health HIV Gender norms	Life-skills training Vocational training/livelihoods Youth empowerment Health service delivery Data collection on service utilization Health service days/health fairs	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities	Post-abortion care Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Pills EC Injectables IUD LAM Withdrawal Cycle beads/calendar method Post-abortion family planning	Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care HIV care and treatment Delivery/post-natal care facilities Mental health and counseling Post-rape EC	The program has been successful because of effective community mobilization.	Level of security in the setting Community attitudes Funding	This program provides primary health care services for all refugees, including adolescents. While referral services are available for SRH needs, due to community attitudes family planning services are not directly provided by the program.	
	2	Thailand	Primary health care and GBV capacity strengthening for Burmese and ethnic minority refugees on the Thai-Burmese border	Katie Anfinson, American Refugee Committee, KateA@archq.org	Refugees from Burma (Myanmar) living on the Thai-Burma border.	No specified age group, although inclusive of adolescents	IEC/BCC			Antenatal care Delivery/post-natal care facilities	Post-rape EC	Male condoms Pills				The health centers provide free SRH services to all refugees including adolescents.	
	3	Thailand	Adolescent reproductive health zone	Ying Kawn Tai, ARHZ arhzcm@gmail.com	Refugees from Burma (Myanmar) living on the Thai-Burma Border; Mae Sot Mae Hong Son, Chiang Rai and surrounding migrant areas.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Adolescent participation Training	Peer workers IEC/BCC Youth centers	General health HIV Sexuality Fertility	Youth empowerment Health service delivery Data collection on service utilization Health service days/health fairs	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Mental health and counseling	Post-rape EC Post-rape injury treatment	Male condoms Female condoms Pills EC		Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method		

Mapping of Adolescent Sexual and Reproductive Health Programs in Humanitarian Settings

**Does not provide at least 2 methods of family planning and therefore not included in analysis*

Region	Country	Program	Contact Information	Crisis/Conflict Context	Age Group	Components of Program Development	Communication and Outreach Elements	ASRH Education	ASRH Services	General Health Services for Adolescents	Clinical SRH Services	Family Planning Services	Referral Mechanisms	Program Effectiveness	Implementation Challenges	Notes	
Asia								Gender norms Health provider training				Injectables Implant IUD Post-abortion family planning			Provider attitudes or skills Level of security in the setting Community attitudes Funding		
	4	Thailand	Adolescent reproductive health program	Adolescent Reproductive Health Network, arhnetwork@gmail.com	Refugees from Burma (Myanmar) living on the Thai-Burma Border	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Adolescent participation Training	Peer workers Plays or theater IEC/BCC	General health HIV Sexuality Fertility Gender norms Health provider training	Youth empowerment Health service delivery Data collection on service utilization Youth centers Health service days/health fairs	Adolescent-friendly clinics Family planning/pregnancy prevention Mental health and counseling	Post-rape EC	Family planning counseling Male condom Female condoms Pills EC Injectables IUD	Post-rape injury treatment STI care and treatment	Support from Mae Tao Clinic, a well-respected health facility in the community, has helped the Youth Center gain recognition as an outreach center. This has highlighted the ARHN's efforts and led to potential funding opportunities.	Use of services by adolescents Adolescent knowledge of these services Availability of supplies or method Provider attitudes or skills Level of security in the setting Community attitudes Funding	The program also provides options counseling for unwanted pregnancy
	5*	Nepal	Youth Friendly Centre	Damak, Nepal, in Sanischare refugee camp (Bidya Basnet, AMDA Nepal, sgbv.phcp@amda.org.np)	Butanese refugees in have been settling in eastern Nepal since 1990.	15-17 years 18-19 years		Peer workers IEC/BCC Radio programming Youth centers	HIV	Life-skills training Youth empowerment Youth centers			Male condoms Family planning/pregnancy prevention				
	6*	Philippines	Philippines ASRH program	Sujata Tuladhar, UNFPA Philippines, stuladhar@unfpa.org	Comprehensive response to Sendong typhoon	10-14 years 15-17 years 18-19 years 20 years and above	Adolescent participation/involvement	Peer workers IEC/BCC	General health HIV Sexuality Fertility Gender norms	School support Life-skills training Youth empowerment	Adolescent-friendly clinics Family planning/pregnancy prevention		Family planning counseling Male condoms Injectables IUD		Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method Provider attitudes or skills	Not all family planning services are available to all ages. Male condoms are available to adolescents age 15 and above. Family planning counseling is only available to those over 18 years. IUDs and injectables are only available to those over 20 years.	
Europe	1	Albania	ASRH Program by United Nations Population Fund, Albania	Elsona Agolli, UNFPA, agolli@unfpa.org	2010 floods in the northern regions of Shkodra, Lezhë and Durrës in Albania	10-14 years 15-17 years 18-19 years 20 years and above	Community involvement Adolescent participation Training	Peer workers IEC/BCC Television programming Youth centers	General health		Adolescent-friendly clinics		Family planning counseling Male condoms Pills Injectables IUD Withdrawal		Adolescent knowledge of these services Availability of supplies or method Provider attitudes or skills	This program is no longer running. Services were available free of cost to all adolescents in the region including refugees.	
Middle	1	Lebanon	Save the Children ARSH Program-Lebanon	Rindala Berro and Ghassan Akkary, Save the Children International	Palestinian refugees and host communities.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Available tools and guidance Training	Peer workers Plays or theater IEC/BCC Radio programming Television programming Cell-phone texting Helpline Computer literacy Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Life-skills training Vocational training/livelihoods Youth empowerment Young mothers' programs Prevention of transactional sex Health service delivery Data collection on service utilization Youth centers Health service days/health fairs Mobile outreach	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities Mental health and counseling	Fistula treatment Post-abortion care Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Female condoms Pills EC Injectables Implant IUD LAM Withdrawal Cycle beads/calendar method Post-abortion family planning	Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care Fistula treatment Post-abortion care HIV care and treatment Delivery/post-natal care facilities Mental health and counseling Post-rape EC	This holistic program has been effective in raising awareness among adolescent, parents and service providers on the issues related to ASRH.	Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method Provider attitudes or skills Level of security in the setting Community attitudes Policy Funding	
	2	South Sudan	ASRH (PEARL)	Barnabas Yisa, UNFPA, yisa@unfpa.org	Juba and Terekkon have been affected by the conflict between the Sudanese government and rebels fighting for independence	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Available tools and guidance Training	Plays or theater IEC/BCC Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	Life-skills training Health service delivery	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Mental health and counseling	Post-rape injury treatment	Family planning counseling Male condoms Female condoms Pills EC Injectables Withdrawal Post-abortion family planning	Post-rape injury treatment Antenatal care Fistula treatment Post-abortion care HIV care and treatment Delivery/post-natal care facilities Post-rape EC	BCC messaging, the use of peer counseling and the involvement of parents, teachers and religious leaders contributed to the success of the program.	Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method Provider attitudes or skills Community attitudes Policy Funding	

Mapping of Adolescent Sexual and Reproductive Health Programs in Humanitarian Settings

**Does not provide at least 2 methods of family planning and therefore not included in analysis*

Region	Country	Program	Contact Information	Crisis/Conflict Context	Age Group	Components of Program Development	Communication and Outreach Elements	ASRH Education	ASRH Services	General Health Services for Adolescents	Clinical SRH Services	Family Planning Services	Referral Mechanisms	Program Effectiveness	Implementation Challenges	Notes	
E a s t & N o r t h A f r i c a	3	Tunisia	Youth Peer Education in Humanitarian Settings, United Nations Population Fund (UNFPA)	Manel Stambouli, UNFPA stambouli@unfpa.org	Political instability in Tunisia since 2006	15-17 years 18-19 years 20 years and above	Adolescent participation Training	Peer workers IEC/BCC	General health	Life-skills training		Family planning counseling Male condoms Female condoms Pills Injectibles Implant IUD	Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities Mental health and counseling Post-rape EC	The program has effectively implemented awareness-raising activities, life skills training and women and girls empowerment activities.	Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Provider attitudes or skills Community attitudes		
	4*	Lebanon	Youth Leaders in humanitarian settings	Nada Aghar, naja@unfpa.org	Iraqi, Palestinian and Syrian refugees in Lebanon	15-17 years 18-19 years	A needs assessment Community involvement Available tools and guidance Training	Peer workers IEC/BCC	General health HIV Gender norms	Life-skills training Youth empowerment Data collection on service utilization Health service days/health fairs					Use of services by adolescents Adolescent knowledge of these services Availability of supplies or method Provider attitudes or skills Community attitudes Policy Funding		
	5*	Libya	Y-peer program (youth peer education on sexual reproductive health)	Nadim Al-adili, al-adili@unfpa.org UNFPA Libya	Response to Libyan conflict	18-19 years 20 years and above	Available tools and guidance Training	Peer workers Plays or theater IEC/BCC	HIV Sexuality Gender norms								
	6*	Sudan	The Youth, Employment and Migration Joint Program with ASRH Program of UNFPA in South Kordofan state	Dr. Maria Emanuela Brair, UNFPA briar@unfpa.org	Ongoing conflict has led to displacement.	15-17 years 18-19 years 20 years and above	Community involvement Adolescent participation Training	Peer workers IEC/BCC Youth centers Community leader/religious leader outreach	General health HIV Gender norms	Vocational training/livelihoods Youth empowerment				A good and transferable practice in the program was the BC (Behavior Change Communication) promoted by UNFPA to raise awareness on early marriage and early pregnancy, sexually transmitted infections, family planning and awareness and prevention of HIV/AIDS among the youth. It has the capability of addressing the gender issues among youth in an extremely difficult context.	Use of services by adolescents Adolescent knowledge of these services Provider attitudes or skills Level of security in the setting Community attitudes Policy	Unanticipated conflicts reduced the scope of the project.	
	7*	Syria	Improving reproductive health and information for refugees in Syria	Omar Ballan, UNFPA Ballan@unfpa.org	Iraqi refugees settled in Damascus, Syria.	18-19 years 20 years and above	A needs assessment Adolescent participation Available tools and guidance	Peer workers IEC/BCC Youth centers		Life-skills training Vocational training/livelihoods Youth empowerment Youth centers					Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services		
	1	Central African Republic	Medical and Community Based comprehensive responses to sexual and gender based violence against women, young girls and boys and children in conflict affected zones	Eliwo Akoto Program Coordinator, UNFPA CA, akoto@unfpa.org	Ongoing conflict in CAR.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Available tools and guidance Training	Peer workers Plays or theater IEC/BCC Radio programming Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Young mothers' programs Prevention of transactional sex Health service delivery Data collection on service utilization	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities Mental health and counseling	Fistula treatment Post-abortion care Post-rape EC HIV care and treatment	Family planning counseling Male condoms Female condoms Pills EC Injectibles IUD Implant	Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care Fistula treatment Post-abortion care HIV care and treatment Delivery/post-natal care facilities Mental health and counseling post-rape EC	Provider attitudes or skills Level of security in the setting Community attitudes Policy Funding	The commitment of the communities to the project and partnerships with national and international NGOs and other UN agencies contributed to the success of the program.	
	2	Chad	Promotion of behavioral changes for preventing HIV/AIDS and improvement of medical and psychosocial care in Dar Sila region	Cooperazione Internazionale (COOPI), COOPI@COOPI.org	Ongoing conflict in Chad	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Radio programming Parent involvement Community leader/religious leader outreach	Peer workers Plays or theater IEC/BCC Radio programming Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	Life-skills training Prevention of transactional sex Health service delivery Data collection on service utilization Health service days/health fairs	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities	Post-rape EC Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Female condoms Pills Injectibles Post-abortion family planning	Fistula treatment Post-abortion care Mental health and counseling	Use of services by adolescents Adolescent knowledge of these services Community attitudes Policy Funding		
	3	Democratic Republic of Congo	2011 UNHCR South Kivu Project	Dr Elisabeth Benga-De, International Medical Corps ebengade@internationalm	Internal conflict has led to large number of internally displaced persons.	10-14 years	Community involvement	Peer workers	General health	School support	Family planning/pregnancy prevention	Post-abortion care	Family planning counseling	Collaboration between IMC, UNHCR and the South Kivu Ministry of Health has contributed	Use of services by adolescents	Services are available at the Kavimvira for refugees and returnees.	

Mapping of Adolescent Sexual and Reproductive Health Programs in Humanitarian Settings

**Does not provide at least 2 methods of family planning and therefore not included in analysis*

Region	Country	Program	Contact Information	Crisis/Conflict Context	Age Group	Components of Program Development	Communication and Outreach Elements	ASRH Education	ASRH Services	General Health Services for Adolescents	Clinical SRH Services	Family Planning Services	Referral Mechanisms	Program Effectiveness	Implementation Challenges	Notes
			edicalcorps.org		15-17 years 18-19 years 20 years and above	Parent involvement Adolescent participation Available tools and guidance Training	Plays or theater IEC/BCC Radio programming Parent involvement Community leader/religious leader outreach	HIV Sexuality Fertility Gender norms Health provider training Parent training	Life-skills training Youth empowerment Prevention of transactional sex Health service delivery Data collection on service utilization Youth centers Health service days/health fairs	STI care and treatment Antenatal care Delivery/post-natal care facilities	Post-rape EC HIV care and treatment	Male condoms Female condoms Pills EC Injectibles Implant IUD LAM Cycle beads/calendar method		to the effectiveness of this program	Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method Level of security in the setting Funding	
4	Democratic Republic of Congo	Humanitarian assistance to affected populations in Sud Ubangi region during the "Enyele conflict"	Dr Makelele, UNFPA, makelele@unfpa.org	Dongo conflict in Enyele, Sud Ubangi region, DRC, October 2009.	10-14 years 15-17 years 18-19 years	A needs assessment Community involvement Parent involvement Adolescent participation Training	Peer workers Plays or theater IEC/BCC Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Health provider training	School support Life-skills training Prevention of transactional sex Health service delivery Data collection on service utilization Health service days/health fairs	Mental health and counseling Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities	Post-abortion care Post-rape EC HIV care and treatment	Family planning counseling Male condoms Female condoms Pills EC Withdrawal Cycle beads/calendar method Post-abortion family planning	Fistula treatment	The community, including youth, were highly involved in the program.	Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method Provider attitudes or skills Level of security in the setting Community attitudes Funding	
5	Democratic Republic of Congo	STAREC project 2011, International Medical Corps/DRC	Dr Elisabeth Benga-De, International Medical Corps, ebengade@internationalmedicalcorps.org	South Kivu; internal conflict has led to large number of internally displaced persons.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Available tools and guidance Training	Peer workers Plays or theater IEC/BCC Radio programming Television programming Computer literacy Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Life-skills training Youth empowerment Young mothers' programs Prevention of transactional sex Health service delivery Data collection on service utilization Youth centers Health service days/health fairs Mobile outreach	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities Mental health and counseling	Post-rape EC Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Pills EC Injectibles Post-abortion family planning	Family planning/pregnancy prevention Fistula treatment Post-abortion care	The collaboration between the South Kivu Minister of Health, UNICEF, UNFPA, Onu Femmes, among others contributed to the effectiveness of the program.	Use of services by adolescents Adolescent knowledge of these services Provider attitudes or skills Level of security in the setting Community attitudes Funding	Kimbi Lulenge, Fizi, Uvira /South Kivu (SV, BPRM project); Kavimvira Returnee/Refugee Transit Center (UNHCR project); Kalonge, Bunyakiri, Mubumbano; (STAREC project consortium COOPI/IMC) Luc Mwueze, program manager; Rachel Flynn, IMC HQ; Dr. Cuma & Dr. Robert Nyamugaraza, PMSR du Sud Kivu; Dr. Mwanza, MOH South; Mme. Aminata Bamba, UNHCR/Uvira South Kivu; Assih Ekambo, UNICEF South Kivu.
6	Ethiopia	Responding to SRH and GBV in Dollo Ado refugee camps in the Somali region of Ethiopia	Eduardo Celades, International Medical Corps, celades@internationalmedicalcorps.org.uk	Populations from neighboring countries, particularly Somalia have settled in the Dollo Ado region.	15-17 years	A needs assessment Available tools and guidance Training	IEC/BCC	General health Health provider training	Health service delivery	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care	Post-rape EC Post-rape injury treatment	Family planning counseling Male condoms Pills Injectibles Implant LAM Post-abortion family planning	Mental health and counseling	This program had a strong supply chain and health facilities were well-staffed with providers who had been trained in youth-friendly services.	Adolescent knowledge of these services Community attitudes	Other implementation challenges included unclear duties and overlap of activities among implementing partners and a shortage of IEC/BCC materials prepared in the local language.
7	Kenya	Family Health Options Kenya, Nairobi Youth Center	Lydia Mukami, Family Health Options Kenya, mukamili@yahoo.com	Ethnic violence in the region resulting in displacement of adolescents, particularly in urban areas such as Nairobi.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Available tools and guidance Training	Peer workers Plays or theater IEC/BCC Radio programming Television programming Cell-phone texting Helpline Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Life-skills training Vocational training/livelihoods Youth empowerment Young mothers' programs Prevention of transactional sex Health service delivery Data collection on service utilization Youth centers Health service days/health fairs Mobile outreach	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Mental health and counseling	Post-abortion care Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Female condoms Pills EC Injectibles Implant IUD LAM Withdrawal Cycle beads/calendar method	Fistula treatment Delivery/post-natal care facilities	The program used peer educators to promote and encourage utilization of their services.	Use of services by adolescents Adolescent knowledge of these services Community attitudes Funding	Internal displacement and relocation to new environments resulted in adolescents not accessing ASRH services that were previously available to them. FHO Kenya is invested in providing information and resources to access ASRH services post conflict.

Mapping of Adolescent Sexual and Reproductive Health Programs in Humanitarian Settings

**Does not provide at least 2 methods of family planning and therefore not included in analysis*

Region	Country	Program	Contact Information	Crisis/Conflict Context	Age Group	Components of Program Development	Communication and Outreach Elements	ASRH Education	ASRH Services	General Health Services for Adolescents	Clinical SRH Services	Family Planning Services	Referral Mechanisms	Program Effectiveness	Implementation Challenges	Notes	
Sub-Saharan Africa	8	Rwanda	Provision of multi-sectoral services to Congolese refugees in Gihembe, Kiziba, and Nyabiheke refugee camps, Rwanda	Katie Anfinson, American Refugee Committee, KateA@archq.org	Refugees from DRC displaced due to continuing violence and insecurity in their home country.	10-14 years 15-17 years	A needs assessment Community involvement Adolescent participation Training	Peer workers Plays or theater IEC/BCC	General health HIV Sexuality Fertility Gender norms	Computer literacy Prevention of transactional sex Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care	Post-rape EC Post-rape injury treatment HIV care and treatment	Post-abortion family planning Family planning counseling Male condoms Pills EC			Community attitudes		
	9	Sierra Leone	Reproductive Health for War-Affected Youth (RH-WAY)	Brighter Future, brighterfuture_2002@yahoo.com or Philip Masago, ptkmassago@yahoo.com	Kenema district, Sierra Leone is recovering from conflict.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Available tools and guidance Training	Peer workers IEC/BCC Radio programming Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Life-skills training Vocational training/livelihoods Youth empowerment Young mothers' programs Health service delivery Data collection on service utilization Youth centers	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment	Post-abortion care Post-rape EC Post-rape injury treatment HIV care and treatment	Family planning counseling Male condoms Female condoms Pills EC Injectibles	Family planning/pregnancy prevention Post-abortion care Mental health and counseling	In a post-conflict situation, accompanying the ASRH program with a livelihoods component for non-school-going youth and young mothers is an essential element in sustaining motivation.	Use of services by adolescents Adolescent knowledge of these services Availability of supplies or method Community attitudes Funding	Making SRH services and contraceptives more affordable to adolescents is a highlight of this program.
	10	Sierra Leone	Gender Equality and Sexual Reproductive Health Rights und CPAP 2008-2010	Juliana Konteh, womenicm@yahoo.com	People are returning after long term conflict	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Adolescent participation Training	Peer workers Plays or theater IEC/BCC Radio programming Television programming Helpline Community leader/religious leader outreach	General health HIV Sexuality Gender norms Health provider training Parent training	School support Life-skills training Youth empowerment Vocational training/livelihoods Young mothers' programs Prevention of transactional sex Health service delivery Health service days/health fairs Computer literacy	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Mental health and counseling	Post-rape injury treatment HIV care and treatment	Family planning counseling male condoms Female condoms Pills Injectibles Implant Withdrawal Cycle beads/calendar method	Antenatal care Post-abortion care Delivery/post-natal care facilities Post-rape EC	Participation of community and religious leaders contributed to the success of this program.	Use of services by adolescents Adolescent knowledge of these services Availability of supplies or method Level of security in the setting Community attitudes Funding	
	11	Uganda	Reducing the risks and vulnerability to sexual and reproductive health problems among adolescents	Susan Ajok, Strait Talk sajok@straighttalkfoundation.org	People are returning after long term conflict in northern Uganda	15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation	Peer workers IEC/BCC Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Life-skills training Vocational training/livelihoods Youth empowerment Health service delivery Data collection on service utilization	Adolescent-friendly clinics Family planning/pregnancy prevention STI care and treatment Antenatal care Delivery/post-natal care facilities Mental health and counseling		Family planning counseling Male condoms Female condoms Pills EC Injectibles	Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care Fistula treatment Post-abortion care HIV care and treatment Delivery/post-natal care facilities Mental health and counseling Post-rape EC	Strait Talk Foundation youth center programs have played a significant role in linking information provision with service delivery in the districts where it is operational.	Use of services by adolescents Adolescent knowledge of these services Adolescent perception of these services Availability of supplies or method Provider attitudes or skills Level of security in the setting Community attitudes Policy Funding	In order to make the center more accessible to a large number of adolescents, it is open after school and on weekends.
12*	Cameroon	ASRH Program Cameroon	Joseph Boum, UNFPA boum@unfpa.org	Refugees and asylum seekers in eastern Cameroon displaced from Central African Republic and Chad.	15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation Available tools and guidance Training	Peer workers IEC/BCC Radio programming Television programming Youth centers	General health HIV Sexuality Fertility Gender norms Health provider training	Life-skills training Prevention of transactional sex Health service delivery Data collection on service utilization Health service days/health fairs				Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care Fistula treatment Post-abortion care HIV care and treatment Delivery/post-natal care facilities Mental health and counseling post-rape EC				
13*	Central African Republic	Support for the fight against HIV among refugees of Mongoumba/Batalimo		Political upheaval has led to a large number of internally displaced people.	10-14 years 15-17 years	A needs assessment Community involvement	Peer workers IEC/BCC	General health HIV	Health service delivery	Adolescent-friendly clinics Family planning/pregnancy prevention	Post-rape EC Post-rape injury treatment						

Mapping of Adolescent Sexual and Reproductive Health Programs in Humanitarian Settings

**Does not provide at least 2 methods of family planning and therefore not included in analysis*

Region	Country	Program	Contact Information	Crisis/Conflict Context	Age Group	Components of Program Development	Communication and Outreach Elements	ASRH Education	ASRH Services	General Health Services for Adolescents	Clinical SRH Services	Family Planning Services	Referral Mechanisms	Program Effectiveness	Implementation Challenges	Notes
					18-19 years 20 years and above	Adolescent participation	Community leader/religious leader outreach			STI care and treatment Antenatal care	HIV care and treatment					
	14* Central African Republic	Empowering Women with Sustainable Solutions to Sexual and Reproductive Health	Katherine Daniels, Mercy Corps, kdaniels@mercycorps.org	Ongoing conflict in CAR.	15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Adolescent participation Available tools and guidance Training										
	15* Chad	Empowering youth groups through training on HIV/AIDS and development and distribution of IEC materials	The Foundation for the Refugee Education Trust	Large number of internally displaced people and refugees from Sudan in the eastern region of Chad.	15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Adolescent participation Available tools and guidance Training	Peer workers Plays or theater IEC/BCC Youth centers Parent involvement	General health HIV Sexuality Fertility	Life-skills training Youth centers							Services for adolescents are integrated into this program which is available to all people in the area.
	16* Democratic Republic of Congo	Youth Centre in Libenge and Equateur	Dinah Nahaabi, UNHCR nahaabi@unhcr.org	Internal conflict has led to large number of internally displaced people.	10-14 years 15-17 years 18-19 years 20 years and above	Community involvement Parent involvement Adolescent participation Training	Peer workers IEC/BCC Computer literacy Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Fertility Health provider training Parent training	Vocational training/livelihoods Health service delivery	Adolescent-friendly clinics Family planning/pregnancy prevention Mental health and counseling	HIV care and treatment	Family planning counseling Male condoms	Family planning/pregnancy prevention STI care and treatment Antenatal care Post-rape EC		Funding	
	17* Democratic Republic of Congo	Zoe Elpis Program of the Community Baptist Center for Africa (CBCA)	Isaac Muyonga, ikmuyonga@gmail.com	Goma, North Kivu has been troubled by war.	10-14 years 15-17 years 18-19 years 20 years and above	Parent involvement Adolescent participation Training	Peer workers Plays or theater IEC/BCC Youth centers Parent involvement Community leader/religious leader outreach	General health HIV Sexuality Gender norms Health provider training	School support Life-skills training Vocational training/livelihoods Youth empowerment	Mental health and counseling				This program was able to build individual capacity with strong HIV/AIDS and sex education life skills.		Sexual violence, forced prostitution and sexual inequality are common issues faced by adolescents in the region. This project piloted the inclusion of sex education in the schools, churches and within the community to address gender inequalities.
	18* Sierra Leone	Youth empowerment program	Restless Development, +232 76 891901	A large number of adolescents have been internally displaced by conflict.	10-14 years 15-17 years 18-19 years 20 years and above	A needs assessment Community involvement Parent involvement Adolescent participation	Peer workers Plays or theater IEC/BCC Radio programming Youth centers Parent involvement	General health HIV Sexuality Fertility Gender norms Health provider training Parent training	School support Life-skills training Vocational training/livelihoods Youth empowerment Prevention of transactional sex Health service delivery Data collection on service utilization Youth centers	Mental health and counseling	Post-abortion care Post-rape injury treatment HIV care and treatment		Post-rape injury treatment Family planning/pregnancy prevention STI care and treatment Antenatal care HIV care and treatment Delivery/post-natal care facilities Mental health and counseling Post-rape EC			
	19* Somalia	Youth PEER Education Network	Adnaan Suldan	Ongoing conflict in Somalia	No specified age group, although inclusive of adolescents		Peer workers Plays or theater	HIV								